

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/675,314 09/30/2003		Gary Leonard Skibinski	02AB153/YOD ALBR:0109	5340		
7.	590 12/13/2005		EXAM	EXAMINER		
Alexander M. Gerasimow			MAI, A	MAI, ANH T		
Allen-Bradley	Company, LLC					
1201 South Sec	cond Street	ART UNIT	PAPER NUMBER			
Milwaukee, W	I 53204-2496	2832				

DATE MAILED: 12/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application	ı No.	Applicant(s)			
Office Action Summary		10/675,314 SKIBINSKI, G/		SKIBINSKI, GARY	ARY LEONARD			
		Examiner		Art Unit				
			Anh T. Mai		2832	(PM)		
Period fo	- The MAILING DATE of this commun r Reply	ication app	ears on the	cover sheet with the c	correspondence ad	dress		
WHIC - Exten after 5 - If NO - Failur Any re	DRTENED STATUTORY PERIOD F HEVER IS LONGER, FROM THE M sions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comn period for reply is specified above, the maximum st e to reply within the set or extended period for reply apply received by the Office later than three months at patent term adjustment. See 37 CFR 1.704(b).	IAILING DA of 37 CFR 1.13 nunication. atutory period wind will, by statute.	ATE OF THI 6(a). In no even ill apply and will cause the applic	S COMMUNICATION t, however, may a reply be tire expire SIX (6) MONTHS from ation to become ABANDONE	N. nely filed the mailing date of this or D (35 U.S.C. § 133).			
Status								
1)	Responsive to communication(s) file	ed on <i>06 Oc</i>	ctober 2005					
,								
- ,—	Since this application is in condition	• ——			secution as to the	e merits is		
•	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)⊠	Claim(s) 1-21 is/are pending in the a	application.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.							
	Claim(s) is/are allowed.							
	Claim(s) is/are allowed. Claim(s) 1-21 is/are rejected.							
	Claim(s) is/are objected to.							
•	Claim(s) are subject to restrict	ction and/or	election re	guirement.				
,	on Papers							
·· _	•	- -	_					
•—	The specification is objected to by th			7 - 6:44 4- 6 46-	-			
,—	The drawing(s) filed on is/are:	•	•	-				
	Applicant may not request that any obje					5D 4 4044 N		
	Replacement drawing sheet(s) including							
11)[The oath or declaration is objected to	by the Exa	aminer. Not	e the attached Office	Action or form Pi	O-152.		
Priority u	nder 35 U.S.C. § 119							
a)[Acknowledgment is made of a claim All b) Some * c) None of: 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation ee the attached detailed Office actions	documents documents of the priori	s have been s have been ity documer i (PCT Rule	received. received in Applicat its have been receive 17.2(a)).	ion No ed in this National	Stage		
2) Notice 3) Inform	(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (Foration Disclosure Statement(s) (PTO-1449 or No(s)/Mail Date			4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate)-152)		

Art Unit: 2832

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. <u>Claims 1, 4, 8</u> are rejected under 35 U.S.C. 102(b) as being anticipated by Koike [JP 11-195533].

Koike discloses a modular enclosure SMD 21a having a mounting surface 23 extending in a plane; inductor coil 5 wound about a central axis generally parallel to the mounting surface; a plurality of leads 3b,3c electrically coupled to the inductor coil and accessible from the modular enclosure; the enclosure is configured for mounting adjacent to similar modular inductor [figures 1-8; abstract].

With respect to claim 4, Koike discloses a plurality of generally flat external surfaces including side surfaces adjacent to the mounting surface, and wherein the mounting surfaces has a greater surfaces area than any one of the side surfaces [see the drawing].

With respect to claim 7, Koike discloses the leads include conductive pads as shown in figure 4.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 2832

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4. <u>Claims 2-3</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over Koike in view of Beihoff et al. [2003/0133257A1].

Koike discloses the claimed invention except for the enclosure being mounted on liquid cooled base.

Beihoff, however, discloses a modular power converter having fluid cooled support 12 wherein coolant is routed in/out 22, 24 to extract heat from circuit 14 [figures 1-2; para 0052].

Because Koike and Beihoff are both from the same field of endeavor, the thermal base as disclosed by Beihoff would have been recognized as pertinent art of Koike.

It would have been obvious, therefore, at the time the invention was made to a person having skill in the art to construct the inductor module as disclosed by Koike, mounted on liquid-cool base, as disclosed by Beihoff for the purpose removing heat from the inductor.

With respect to claim 3, Koike does not disclose a generally oblong cross section inductor. It would have been obvious to have an oblong cross section inductor for the purpose of facilitate the size of the inductor module. *In re Dailey, 357 F.2d 669, 149* USPQ 47 (CCPA 1966)

5. <u>Claims 6-7</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over Koike in view ol Liu et al. [2004/0239467].

Koike discloses the claimed invention except for the terminal being a plug-in type. Liu discloses the plug-in terminals 225-1 to 225-6 [figures 3D-E; para 001]. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to provide plug-in type terminals as taught by Liu to Koike. The motivation would

Art Unit: 2832

have been to facilitate the insertion into pin holes. Therefore, it would have been obvious to combine Liu with Koike.

With respect to claim 7, figure 1A of Liu shows the terminals including pads 20, 22 (para 005).

6. <u>Claims 9-11</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over Koike in view of Jacobson et al. [6856283].

Koike discloses the claimed invention except for the enclosure having a current sensor/ground fault sensor.

Jacobson, however, discloses an AC/DC converter 110-1 having fault detection circuit 206-1 and capacitor bank 120 [claim 6, figures 1 and 5].

Because Koike and Jacobson are both from the same field of endeavor, the current sensor as disclosed by Jacobson would have been recognized as pertinent art of Koike.

It would have been obvious, therefore, at the time the invention was made to a person having skill in the art to construct the inductor module as disclosed by Koike, with a current sensor, and a capacitor as disclosed by Jacobson for the purpose of detecting and isolate ground faults [col 10, lines 34-39] and providing power when the loads drop below the constant voltage regulation point set [col 5, lines 64-66].

7. <u>Claim 12</u> is rejected under 35 U.S.C. 103(a) as being unpatentable over Koike.

Koike discloses the claimed invention except for a second inductor coil wound within enclosure. It would have been obvious to one having ordinary skill in the art at the time the invention was made to add a second inductor coil to the enclosure, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8 MPEP 2144.04

Art Unit: 2832

8. <u>Claims 13, 15-16</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over Koike in view of Jacobson et al.

Koike discloses a modular enclosure SMD 21a having a mounting surface 23 extending in a plane; 3 modular inductors 5, each wound about a central axis generally parallel to the mounting surface and configured for electrical connection to a respective phase; a plurality of leads 3b,3c [figures 1-8; abstract].

Koike discloses the claimed invention except for the enclosure having a current sensor/ground fault sensor.

Jacobson, however, discloses an AC/DC converter 110-1 having fault detection circuit 206-1 and capacitor bank 120 [claim 6, figures 1 and 5].

Because Koike and Jacobson are both from the same field of endeavor, the current sensor as disclosed by Jacobson would have been recognized as pertinent art of Koika.

It would have been obvious, therefore, at the time the invention was made to a person having skill in the art to construct the inductor module as disclosed by Koike, with a current sensor, and a capacitor as disclosed by Jacobson for the purpose of detecting and isolate ground faults [col 10, lines 34-39].

9. <u>Claim 14</u> is rejected under 35 U.S.C. 103(a) as being unpatentable over Koike in view of Jacobson et al. as applied in claim 13 above and further in view of Beihoff et al.

Koike discloses the claimed invention except for the enclosure being mounted on liquid cooled base.

Beihoff, however, discloses a modular power converter having fluid cooled support 12 wherein coolant is routed in/out 22, 24 to extract heat from circuit 14 [figures 1-2; para 0052].

Art Unit: 2832

Because Koike and Beihoff are both from the same field of endeavor, the thermal base as disclosed by Beihoff would have been recognized as pertinent art of Koike.

It would have been obvious, therefore, at the time the invention was made to a person having skill in the art to construct the inductor module as disclosed by Koike, mounted on liquid-cool base, as disclosed by Beihoff for the purpose removing heat from the inductor.

10. <u>Claims 17-18, 20</u> are rejected under 35 U.S.C. rejected under 35 U.S.C. 103(a) as being unpatentable over Kojori [6850426] in view of Koike.

Kojori discloses a power converter circuit 3 configured to convert power circuit to three phase outgoing power; a modular inductor assembly 1 configured to be coupled between the circuit and a source of electrical power 101, a current sensor 102 disposed in the enclosure and configured to sense current through the inductor coil Lr [figure 1C; col 10, lines 34-46].

Kojori discloses the claimed invention except for inductor assembly of a modular enclosure having mounting surface with inductor coil wound about central axis.

Koike discloses a modular enclosure SMD 21a having a mounting surface 23 extending in a plane; three inductor coil 5 wound about a central axis generally parallel to the mounting surface; a plurality of leads 3b,3c electrically coupled to the inductor coil and accessible from the modular enclosure [figures 1-8; abstract].

Because Koike and Kojori are both from the same field of endeavor, inductor assembly as disclosed by Koike would have been recognized as pertinent art of Kajori.

It would have been obvious, therefore, at the time the invention was made to a person having skill in the art to construct power converter assembly, as disclosed by Kojori, inductor assembly, as disclosed by Koike for the purpose providing SMD type noiseless coils [abstract].

Art Unit: 2832

With respect to claim 20, figures 5A-B of Kojori shows the input/output filter of the power converter having first set of three inductor 1102 each connected to one lead with one phase of power source and other connected to capacitors 1104, second set of inductor 1106 connecting to leads to the input side of converter [figure 5A; col 12, lines 49-61].

11. <u>Claims 19 and 21</u> are rejected under 35 U.S.C. rejected under 35 U.S.C. 103(a) as being unpatentable over Kojori in view of Koike as applied in claim 18 above and further in view of Beihoff

Kojori in view of Koike discloses the claimed invention [see rejection of claims 17-18] except for the enclosure being mounted on liquid cooled base.

Beihoff, however, discloses a modular power converter having fluid cooled support 12 wherein coolant is routed in/out 22, 24 to extract heat from circuit 14 [figures 1-2; para 0052].

It would have been obvious, therefore, at the time the invention was made to a person having skill in the art to construct the inductor module as disclosed by Kojori in view of Koike, mounted on liquid-cool base, as disclosed by Beihoff for the purpose removing heat from the inductor.

Response to Arguments

12. Applicant's arguments with respect to claims 1-21 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh T. Mai whose telephone number is 571-272-1995. The examiner can normally be reached on 5/4/9 Schedule.

Art Unit: 2832

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on 571-272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

am 120905

> ANH MAI PRIMARY EXAMINER